



ECO-LINE



FACE




ACCESSORIES

Endoscopy Camera System

Endoscope Camera Documentation System

01. F-168D CCD camera,480lines
02. Coupler ,F23, Water Proof
03. Pushcart, with multifunctional shelf
04. Computer, Intel/2G/500G/DVD Recorder
05. Monitor, 19"LCD
06. Printer, HP4800DPI, high resolution print
07. Foot pedal
08. Video capture card, PHILIPS chip highest quality of image, HD digital DVD level, dynamic magnification, dynamic filter processing
09. Software, can make DVD replay /record, print, many template/word/stock/photo stock, powerful function of case management
10. Video teaching of the system, comprehensive teaching of the whole system
11. Automatic system recovery, fast recovery to factory setting in 20mins



Endoscopy Camera System (Water Proof,LCD Panel)

01. 618 Single chip medical camera (LCD Panel), 480lines, immersible camera lens from Japan.
02. Coupler, Water Proof
03. 15"SONY or 17"SAMSUNG Monitor
04. Pushcart, with multifunctional shelf



Endoscopy Camera System (Water Proof,LCD Panel)

01. 638 Three chip medical camera 800lines, immersible camera lens from Japan
02. Coupler, Water Proof
03. 21"SONY or 15"JVC Monitor
04. Pushcart, with multifunctional shelf



NT-668 Endoscopy Camera System(Water Proof, HD)

01. 668HD medical camera, 1080P, immersible camera lens from Japan
02. Coupler, Water Proof
03. 26" Panasonic medical HD monitor
04. Pushcart, with multifunctional shelf



ACCESSORIES

Endoscopy Camera System

Endoscope camera system

1. Full-HD camera, LCD screen, 1080P, immersible camera head for disinfection
2. Water proof coupler (Zoom coupler is optional)
3. 27 inch medical monitor
4. LED cold light source
5. Trolley with drawer and patch board



Endoscope camera system

1. HD camera, 1080P, immersible camera head for disinfection
2. F14 Water proof coupler
3. 22 inch medical monitor
4. LED cold light source
5. Trolley with drawer and patch board



Medical Monitors



A2502.16 Sony, 15 inch
A2502.10 Sony, 21 inch
A2502.22 Sony, 24 inch, High definition



A2502.1 8
Panasonic, 26inch, High definition



A2502.23
Barco, 26inch, High definition



A2502.25
24 inch, made in China



A2502.24
Caring, 24inch, High definition, made in China
A2502.26
Caring, 15inch, made in China

ACCESSORIES

Camera system




A2500f 618
Single chip, water proof, LCD panel



A2500e 638
Three chip, water proof, LCD touch panel



A2500H 668
Water proof, HD(1080P) LCD touch panel
A2500P HD camera system(668(1080P),
USB flash disk support for storage of 1080P video and images
A2500Q HD camera system(668(3COMS,1080P),
USB flash disk for storage of 1080P video and images



A2500J Single chip 068
A2500K Single chip 168
A2500L Single chip 268

Single chip. for fiberoptic

Coupler

Coupler, Straight



Code	Focal length
A2513.1	F18
A2512.3	F22
A2513.3	F25
A2512.1	F27
A2517	F28
A2512.5	F32
A2512.6	F35

Cold light source



LED
T5040 LL-100 , 30W
T5040.1 LL-150 , 80W



T5001 PL-150 150W
PL-150 Halogen, double lamps 150W



Xenon
T5002 GL-350B 350W
T5002.1 GL-350E 350W



T5004 PL-300 250W
PL-300 Halogen, double lamps




T5007.6
Portable cold light source (with charger)
T5007.7 With silica gel set



T5002.5 GL-300 180W
GL-300 Xenon 180W

ACCESSORIES

Light guide cables



- T5010.2 $\Phi 4.5 \times 2000$ mm, Autoclavable
- T5010.3 $\Phi 4.5 \times 2000$ mm, plasma
- T5013 $\Phi 1.8 \times 1700$ mm
- T5014 $\Phi 2.5 \times 1700$ mm
- T5016.1 $\Phi 1.8 - \Phi 2.5$ double head
- T5017 $\Phi 2.5$ double head
- T5018.2 $\Phi 4.5 \times 2300$ mm, plasma
- T5018.1 $\Phi 4.5 \times 2300$ mm, Autoclavable
- T5020.2 $\Phi 4.5 \times 2500$ mm, Autoclavable
- T5020.3 $\Phi 4.5 \times 2500$ mm, plasma

- T5021.2 $\Phi 4.5 \times 3500$ mm, Autoclavable
- T5021.3 $\Phi 4.5 \times 3000$ mm, plasma
- T5022 $\Phi 5 \times 2500$ mm
- T5023 $\Phi 5 \times 3000$ mm
- T5023.1 $\Phi 5 \times 3000$ mm, Autoclavable
- T5023.3 $\Phi 4.5 \times 3000$ mm, plasma
- T5023.5 $\Phi 5 \times 3000$ mm, plasma
- T5024 $\Phi 5 \times 3000$ mm OLYMPUS
- T5024.1 $\Phi 5 \times 3000$ mm OLYMPUS, Autoclavable
- T5024.2 $\Phi 5 \times 3000$ mm OLYMPUS, plasma

Adapter



T1003 Adaptor
for WOLF endoscope



T1004 Adaptor
for WOLF, FIEGERT cold light source



T1005 Adaptor
for OLYMPUS cold light source



T1006 Adaptor
for STRYKER light guide cable



T1007 Adaptor
for ACMI light guide cable



T1008 Adaptor
for ACMI, STRYER endoscope

ACC-Units



E2151
CO₂ Insufflator 30L/min



F4002
Fluid control uteromat(Automatic)



F4003 Irrigation pump
Flow rate : 0.1-1L/min

ACCESSORIES

Medical instruments sterilizing box



A0000.1
For Cystoscopy set
530×230×90mm



A0000.2
For Resectoscope set
420×275×90mm



B0000.3
For Sinuscopy instruments
380×210×70mm




B0000.2
For Sinuscopy set
360×255×90mm



F0000
For electric hystera-cutter
560×275×140mm



190001000
Endoscope Instruments in common use
550×245×70mm



A0000.5
Sterilizing box for Ureterorenoscopy
720×120×70mm



A0000.7
For Cystoscopy set
390×80×52mm, nets



F0000.1
Sterilizing box for Uterine manipulator
500×180×70mm, nets



E0000.3
Sterilizing box for Laparoscopy
460×80×52mm, nets



E0000.4
reticular sterilizing box
100×100×55mm, nets



190001000a
Endoscope Instruments in common use
550×245×70mm



E0000A
For laparoscope
450×90×45mm




B0000
For endoscope
280×70×50mm



B0000.5
For endoscope, autoclavable
255×71×36mm



B0000.4
For endoscope
255×71×36mm



A0000.4
For endoscope, autoclavable
390×71×36mm